

CS320 Web and Internet Programming SQL and MySQL

Chengyu Sun
California State University, Los Angeles

Web and Databases

- ◆ E-commerce sites
 - Products, order, customers
- ◆ News sites
 - Subscribers, articles
- ◆ Web boards
 - Users, postings
- ◆ ... anywhere where a large amount of information needs to be managed safely and efficiently

Database vs. File

- ◆ More efficient search
- ◆ ACID
 - Atomicity
 - Consistency
 - Isolation
 - Durability

Relational Model

- ◆ Proposed by Edgar F. Codd in earlier 1970's
- ◆ All major DBMS are relational (and the good ones are *object-relational*)

A Relational DB Example

orders

OID	CID	ODATE	SDATE
001	001	4/29/2004	NULL
002	002	3/20/2004	3/37/2004

customers

CID	FNAME	LNAME	ADDRESS
001	Chengyu	Sun	Street #215
002	Steve	Sun	Street #711

products

PID	Description	Price
CPU01	Intel P4	\$200
CPU02	Intel P3	\$49
CPU03	AthlonXP	\$100
MBD01	ASUS	\$128
MBD02	TYAN	\$400

order_details

OID	PID	Quantity
001	CPU01	2
001	MBD02	2
002	CPU02	1

Terminology

- ◆ Database Management System (DBMS)
- ◆ Database
- ◆ Table, relation
- ◆ Attribute, field
 - Type
- ◆ Record, tuple, row
- ◆ Column
- ◆ Schema


SQL

- ◆ Standard query language of relational databases
- ◆ Supported by all major relational databases with some variations

MySQL

- ◆ Not a good DBMS in the traditional sense
- ◆ Very popular in web development
 - Very fast search
 - Full text indexing and search
 - Many small things
 - drop if exists
 - insert into values
 - /* */
 - ...

Databases in MySQL



MySQL on the CS Server

- ◆ Version 4.0.21
- ◆ One database per user
 - DB name is the same as the server account user name. E.g. `cs320stu31`
- ◆ Connect to the database
 - `mysql -p`
 - Username and password are the same as the ones for the server account

mysql Command Line Options

- ◆ `mysql [database]`
- ◆ `-u username`
 - default: current user
- ◆ `-p`
 - required if the password for the account is not empty
- ◆ `-h hostname`
 - default: localhost
 - on CS server, you have to do
`mysql -h localhost.localdomain`

Some MySQL Commands ...

- ◆ Status
 - `status;`
- ◆ Help
 - `\h` or `help;`
- ◆ Quit MySQL client
 - `\q` or `quit;` or `exit;`
- ◆ Change password
 - `set password = password ('something');`
 - `set password for 'user'@'host' = password('something');`

... Some MySQL Commands ...

- ◆ Show databases
 - show databases;
- ◆ Use database
 - use *dbname*;
- ◆ Show tables
 - show tables;
- ◆ Show table schema
 - describe *tablename*;

... Some MySQL Commands

- ◆ Run a script
 - \. *demo.sql* or source *demo.sql*;
- ◆ Run a script at command prompt
 - mysql < *demo.sql*

Create a Table

```
create table table_name (  
  field_name field_type [NOT NULL] [UNIQUE] [DEFAULT value],  
  field_name field_type [NOT NULL] [UNIQUE] [DEFAULT value],  
  ...  
  [PRIMARY KEY(field_name, ...)]  
);  
  
create table products (  
  prod_id char(8) not null, -- product id  
  description text,       -- product description  
  price decimal(12,2),    -- price  
  primary key (prod_id)  
);
```

Field Types

- ◆ Numerical types
 - int, float, double, decimal(m,n)
- ◆ String types
 - char(n), varchar(n)
- ◆ Date and time
 - date, time, datetime, timestamp
 - 'yyyy-mm-dd hh:mm:ss'

Auto Increment Field

```
create table users (  
  id int auto_increment primary key,  
  username varchar(64) not null unique,  
  password char(16)  
);  
  
insert into users (username,password) values ('cysun','abcd');  
insert into users (username,password) values ('csun','xyz');
```

Populate Tables

- ◆ Insert a record
 - insert into orders values (1000, 1, '2004-04-29', '2004-05-01');
 - insert into orders values (1001, 2, '2004-05-01', NULL);
- ◆ Load a data file
 - load data local infile 'orders.txt' into table orders;
- ◆ Import a data file (at command prompt)
 - mysqlimport -u cs320stu31 -p orders.txt
 - \N for NULL

Search for Records

select field(s) from table(s) where condition(s);

- ◆ select description, price from products;
- ◆ select * from products;
- ◆ select * from products where price < 300;
- ◆ select * from products where prod_id = 'cpu-0001';

Pattern Matching

◆ LIKE, REGEXP

- % -- any zero or more characters
- . -- any single character
- [abc], [a-z], [0-9] -- range
- * -- zero or more instances of the preceding character
- ^ -- beginning of a string
- \$ -- end of a string
- ◆ select * from products where description like '%intel%';

Update Records

update table set field=value [, ...] where condition(s);

- ◆ update products set price=320 where prod_id = 'cpu-0001';
- ◆ update products set price=200, description='Intel Pentium M 1.7GHz' where prod_id = 'cpu-0001';

Delete Records

delete from table where condition(s);

◆ Examples:

- delete from orders;
- delete from orders where order_date < '2003-12-31' and ship_date is not null;
- ◆ Drop a database
 - drop database *cs320stu31*; -- Don't do this!
- ◆ Drop a table
 - drop table *products*;