


## CS422 Principles of Database Systems Normalization

Chengyu Sun  
California State University, Los Angeles

## Schema Design



## Bad Schema

id	name	address	assignment	due	grade
1	John	123 Main St.	HW1	2009-06-22	A-
1	John	123 Main St.	HW2	2009-07-10	B
2	Jane	456 State St.	HW1	2009-06-22	A

**class\_records**

- ◆ Update anomaly
- ◆ Delete anomaly

## Normalization

id	name	address
1	John	123 Main St.
2	Jane	456 State St.

**students**

name	due
HW1	2009-06-22
HW2	2009-07-10

**assignments**

student	assignment	grades
1	HW1	A-
1	HW2	B
2	HW1	A

**grades**

## Questions To Be Answered

- ◆ How do we decide whether a schema is bad?
- ◆ How do we decompose a table to turn a bad schema into a good one?

## Functional Dependency (FD)

- ◆ A functional dependency on table R is the assertion that two records having the same values for attributes  $\{A_1, \dots, A_n\}$  must also have the same value for attribute B
- ◆  $\{A_1, \dots, A_n\} \rightarrow B$ , or  $\{A_1, \dots, A_n\}$  functionally determine B

## About FD

- ◆ A FD is an assertion based on *assumptions about all possible data*, not just the existing data

id	name
1	John
2	Jane

{id} → {name} ✓

{name} → {id} ✗

## FD with Multiple Attributes

$\{A_1, A_2, A_3, \dots, A_n\} \rightarrow B_1$

$\{A_1, A_2, A_3, \dots, A_n\} \rightarrow B_2$

...

$\{A_1, A_2, A_3, \dots, A_n\} \rightarrow B_m$



$\{A_1, A_2, A_3, \dots, A_n\} \rightarrow \{B_1, B_2, B_3, \dots, B_m\}$



**A → B**

## Trivial Functional Dependency

FD:  $\{A_1, A_2, A_3, \dots, A_n\} \rightarrow \{B_1, B_2, B_3, \dots, B_m\}$

- ◆ FD is trivial if all B's are in **A**
- ◆ FD is nontrivial if at least one B is not in **A**
- ◆ FD is completely nontrivial if no B is in **A**

*From now on, when we talk about FD, we mean completely nontrivial FD unless otherwise noted.*

## FD Example 1

- ◆ Musicians ( id, name, address )
- ◆ Bands ( id, name )
- ◆ Band\_Members ( band\_id, musician\_id )

## FD Example 2

- ◆ Books ( id, title )
- ◆ Authors ( id, name )
- ◆ Book\_Authors ( book\_id, author\_id, author\_order )

## FD Example 3

id	name	address	assignment	due	grade
1	John	123 Main St.	HW1	2009-06-22	A-
1	John	123 Main St.	HW2	2009-07-10	B
2	Jane	456 State St.	HW1	2009-06-22	A

**class\_records**

- ◆ Functional dependencies??

## Key

- ◆ **A** is a key of table R if
  - **A** functionally determines all attributes of R
  - No *proper subset* of **A** functionally determines all attributes of R

## A Few Things about Keys

- ◆ A table may have multiple keys
- ◆ A key may consist of multiple attributes
- ◆ Superset of a key is called a super key
- ◆ The definition doesn't say anything about *uniqueness*
- ◆ A key has to be *minimal*, but not necessarily *minimum*

## Key Examples

- ◆ Musicians and bands
- ◆ Books and authors
- ◆ Class\_records

## Boyce-Codd Normal Form (BCNF)

- ◆ A table R is in BCNF if for every *nontrivial FD*  $A \rightarrow B$  in R, **A** is a *super key* of R.

Or

*The key, the whole key, and nothing but the key, so help me Codd.*

## BCNF or Not?

- ◆ Musicians and bands
- ◆ Books and authors
- ◆ Class\_records

## Determine If a Table is BCNF

- ◆ Step 1: identify all FDs
- ◆ Step 2: find all keys
- ◆ Step 3: check LHS of all non-trivial FDs and see if they are a superset of a key (i.e. a super key)

## Decompose into BCNF

- ◆ Given table **R** with FD's **F**
- ◆ Look among **F** for a BCNF violation **A**→**B**
- ◆ Compute **A**<sup>+</sup>
- ◆ Decompose **R** into:
  - **R**<sub>1</sub> = **A**<sup>+</sup>
  - **R**<sub>2</sub> = (**R** - **A**<sup>+</sup>) ∪ **A**
- ◆ Continue decomposition with **R**<sub>1</sub> and **R**<sub>2</sub> until all resulting tables are BCNF

## Closure of Attributes **A**<sup>+</sup>

- ◆ Given
  - a set of attributes **A**
  - a set of functional dependencies **S**
- ◆ Closure of **A** under **S**, **A**<sup>+</sup>, is the set of all possible attributes that are functionally determined by **A** based on the functional dependencies *inferable* from **S**

## Simple Closure Example

- ◆ **R**: {**A**,**B**,**C**}
  - **S**: {**A**→**B**, **B**→**C**}
- ◆ {**A**}<sup>+</sup> ??
- ◆ {**B**}<sup>+</sup> ??
- ◆ {**C**}<sup>+</sup> ??

## Armstrong's Axioms

Reflexivity

If **B** ⊆ **A**, then **A** → **B**

Transitivity

If **A** → **B** and **B** → **C**, then **A** → **C**

Augmentation

If **A** → **B**, then **AC** → **BC** for any **C**

## Two More FD Rules

Union

If **A** → **B** and **A** → **C**, then **A** → **BC**

Decomposition

If **A** → **BC**, then **A** → **B** and **A** → **C**

## Computing **A**<sup>+</sup>

- ◆ Initialize **A**<sup>+</sup> = **A**
- ◆ Search in **S** for **B**→**C** where
  - **B** ⊆ **A**<sup>+</sup>
  - **C** ∉ **A**<sup>+</sup>
- ◆ Add **C** to **A**<sup>+</sup>
- ◆ Repeat until nothing can be added to **A**<sup>+</sup>

## Computing $A^+$ Example

- ◆  $R(A, B, C, D, E, F)$
- ◆  $S: AB \rightarrow C, BC \rightarrow AD, D \rightarrow E, CF \rightarrow B$
- ◆  $\{A, B\}^+ ??$
- ◆ Is  $\{A, B\}$  a key ??
- ◆ How do we find out the key(s) from  $R$ ??

## Example: BCNF Decomposition


id	name	address	assignment	due	grade
1	John	123 Main St.	HW1	2009-06-22	A-
1	John	123 Main St.	HW2	2009-07-10	B
2	Jane	456 State St.	HW1	2009-06-22	A

class\_records



??

## Motivation for 3NF



- ◆ We lose the FD  $\{street\_address, city\} \rightarrow zip$  after decomposition, or in other words, it becomes *unenforceable*.

## An Unenforceable FD

Before decomposition:

street	city	zip
545 Tech Sq.	Cambridge	02138
545 Tech Sq.	Cambridge	02139

Data error like this can be detected

After decomposition:


street	zip
545 Tech Sq.	02138
545 Tech Sq.	02139

city	zip
Cambridge	02138
Cambridge	02139

The same data error can no longer be detected.

## Third Normal Form (3NF)

- ◆ A table  $R$  is in 3NF if for every nontrivial  $FD A \rightarrow B$  in  $R$ ,
  - $A$  is a super key of  $R$
  - or  $B$  is part of a key of  $R$



## Schema Design

