


CS422 Principles of Database Systems Normalization

Chengyu Sun
California State University, Los Angeles

Schema Design



Bad Schema

id	name	address	assignment	due	grade
1	John	123 Main St.	HW1	2009-06-22	A-
1	John	123 Main St.	HW2	2009-07-10	B
2	Jane	456 State St.	HW1	2009-06-22	A

class_records

- ◆ Update anomaly
- ◆ Delete anomaly

Normalization

id	name	address
1	John	123 Main St.
2	Jane	456 State St.

students

name	due
HW1	2009-06-22
HW2	2009-07-10

assignments

student	assignment	grades
1	HW1	A-
1	HW2	B
2	HW1	A

grades

Questions To Be Answered

- ◆ How do we decide whether a schema is bad?
- ◆ How do we decompose a table to turn a bad schema into a good one?

Functional Dependency (FD)

- ◆ A functional dependency on table R is the assertion that two records having the same values for attributes $\{A_1, \dots, A_n\}$ must also have the same value for attribute B
- ◆ $\{A_1, \dots, A_n\} \rightarrow B$, or $\{A_1, \dots, A_n\}$ functionally determine B

About FD

- ◆ A FD is an assertion based on *assumptions about all possible data*, not just the existing data

id	name
1	John
2	Jane

{id} → name ✓
 {name} → id ✗

FD with Multiple Attributes

$\{A_1, A_2, A_3, \dots, A_n\} \rightarrow B_1$
 $\{A_1, A_2, A_3, \dots, A_n\} \rightarrow B_2$
 ...
 $\{A_1, A_2, A_3, \dots, A_n\} \rightarrow B_m$



$\{A_1, A_2, A_3, \dots, A_n\} \rightarrow \{B_1, B_2, B_3, \dots, B_m\}$



A → B

Trivial Functional Dependency

FD: $\{A_1, A_2, A_3, \dots, A_n\} \rightarrow \{B_1, B_2, B_3, \dots, B_m\}$

- ◆ FD is trivial if all B's are in **A**
- ◆ FD is nontrivial if at least one B is not in **A**
- ◆ FD is completely nontrivial if no B is in **A**

From now on, when we talk about FD, we mean completely nontrivial FD unless otherwise noted.

FD Example 1

- ◆ Musicians (id, name, address)
- ◆ Bands (id, name)
- ◆ Band_Members (band_id, musician_id)

FD Example 2

- ◆ Books (id, title)
- ◆ Authors (id, name)
- ◆ Book_Authors (book_id, author_id, author_order)

FD Example 3

id	name	address	assignment	due	grade
1	John	123 Main St.	HW1	2009-06-22	A-
1	John	123 Main St.	HW2	2009-07-10	B
2	Jane	456 State St.	HW1	2009-06-22	A

class_records

- ◆ Functional dependencies??

Key

- ◆ **A** is a key of table R if
 - **A** functionally determines all attributes of R
 - No *proper subset* of **A** functionally determines all attributes of R

A Few Things about Keys

- ◆ A table may have multiple keys
- ◆ A key may consist of multiple attributes
- ◆ Superset of a key is called a super key
- ◆ The definition doesn't say anything about *uniqueness*
- ◆ A key has to be *minimal*, but not necessarily *minimum*

Key Examples

- ◆ Musicians and bands
- ◆ Books and authors
- ◆ Class_records

Boyce-Codd Normal Form (BCNF)

- ◆ A table R is in BCNF if for every *nontrivial FD* $\mathbf{A} \rightarrow \mathbf{B}$ in R, **A** is a *super key* of R.

Or

The key, the whole key, and nothing but the key, so help me Codd.

BCNF or Not?

- ◆ Musicians and bands
- ◆ Books and authors
- ◆ Class_records

Determine If a Table is BCNF

- ◆ Step 1: identify all FDs
- ◆ Step 2: find all keys
- ◆ Step 3: check LHS of all non-trivial FDs and see if they are a superset of a key (i.e. a super key)

Decompose into BCNF

- ◆ Given table **R** with functional dependencies **S**
- ◆ Look among F for a BCNF violation $\mathbf{A} \rightarrow \mathbf{B}$
- ◆ Compute \mathbf{A}^+
- ◆ Decompose R into:
 - $\mathbf{R}_1 = \mathbf{A}^+$
 - $\mathbf{R}_2 = (\mathbf{R} - \mathbf{A}^+) \cup \mathbf{A}$
- ◆ Continue decomposition with \mathbf{R}_1 and \mathbf{R}_2 until all resulting tables are BCNF

BCNF Violation Example

- ◆ Class_records
 - Functional dependencies
 - Key(s)
 - BCNF violation(s)??

Closure of Attributes \mathbf{A}^+

- ◆ Given
 - a set of attributes **A**
 - a set of functional dependencies **S**
- ◆ Closure of **A** under **S**, \mathbf{A}^+ , is the set of all possible attributes that are functionally determined by **A** based on the functional dependencies *inferable* from **S**

Simple Closure Example

- ◆ R: {A,B,C}
 - S: {A→B, B→C}
- ◆ {A}⁺ ??
- ◆ {B}⁺ ??
- ◆ {C}⁺ ??

Armstrong's Axioms

Reflexivity

If $\mathbf{B} \subseteq \mathbf{A}$, then $\mathbf{A} \rightarrow \mathbf{B}$

Transitivity

If $\mathbf{A} \rightarrow \mathbf{B}$ and $\mathbf{B} \rightarrow \mathbf{C}$, then $\mathbf{A} \rightarrow \mathbf{C}$

Augmentation

If $\mathbf{A} \rightarrow \mathbf{B}$, then $\mathbf{AC} \rightarrow \mathbf{BC}$ for any **C**

Two More FD Rules

Union

If $\mathbf{A} \rightarrow \mathbf{B}$ and $\mathbf{A} \rightarrow \mathbf{C}$, then $\mathbf{A} \rightarrow \mathbf{BC}$

Decomposition

If $\mathbf{A} \rightarrow \mathbf{BC}$, then $\mathbf{A} \rightarrow \mathbf{B}$ and $\mathbf{A} \rightarrow \mathbf{C}$

Computing A^+

- ◆ Initialize $A^+ = A$
- ◆ Search in S for $B \rightarrow C$ where
 - $B \subseteq A^+$
 - $C \notin A^+$
- ◆ Add C to A^+
- ◆ Repeat until nothing can be added to A^+

Computing A^+ Example

- ◆ $R(A, B, C, D, E, F)$
- ◆ $S: AB \rightarrow C, BC \rightarrow AD, D \rightarrow E, CF \rightarrow B$
- ◆ $\{A, B\}^+ ??$
- ◆ Is $\{A, B\}$ a key ??
- ◆ How do we find out the key(s) from R ??

Example: BCNF Decomposition


id	name	address	assignment	due	grade
1	John	123 Main St.	HW1	2009-06-22	A-
1	John	123 Main St.	HW2	2009-07-10	B
2	Jane	456 State St.	HW1	2009-06-22	A

class_records



??

Motivation for 3NF



- ◆ We lose the FD $\{street_address, city\} \rightarrow zip$ after decomposition, or in other words, it becomes *unenforceable*.

An Unenforceable FD

Before decomposition:

street	city	zip
545 Tech Sq.	Cambridge	02138
545 Tech Sq.	Cambridge	02139

Data error like this can be detected


After decomposition:

street	zip	city	zip
545 Tech Sq.	02138	Cambridge	02138
545 Tech Sq.	02139	Cambridge	02139

The same data error can no longer be detected.

Third Normal Form (3NF)

- ◆ A table R is in 3NF if for every nontrivial FD $A \rightarrow B$ in R ,
 - A is a super key of R
 - or B is part of a key of R



Schema Design

