

## CS520 Web Programming

Object-Relational Mapping with Hibernate and JPA

Chengyu Sun  
California State University, Los Angeles

## The Object-Oriented Paradigm

- ◆ The world consists of objects
- ◆ So we use object-oriented languages to write applications
- ◆ We want to store some of the application objects (a.k.a. persistent objects)
- ◆ So we use a Object Database?

## The Reality of DBMS

- ◆ Relational DBMS are still predominant
  - Best performance
  - Most reliable
  - Widest support
- ◆ Bridge between OO applications and relational databases
  - CLI and embedded SQL
  - Object-Relational Mapping (ORM) tools

## Call-Level Interface (CLI)

- ◆ Application interacts with database through functions calls

```
String sql = "select name from items where id = 1";  
  
Connection c = DriverManager.getConnection( url );  
Statement stmt = c.createStatement();  
ResultSet rs = stmt.executeQuery( sql );  
  
if( rs.next() ) System.out.println( rs.getString("name" ) );
```

## Embedded SQL

- ◆ SQL statements are embedded in host language

```
String name;  
#sql {select name into :name from items where id = 1};  
System.out.println( name );
```

## Employee – Application Object

```
public class Employee {  
  
    Integer id;  
    String name;  
    Employee supervisor;  
  
}
```

## Employee – Database Table

```
create table employees (  
    id          integer primary key,  
    name        varchar(255),  
    supervisor  integer references employees(id)  
);
```

## From Database to Application

- ◆ So how do we construct an Employee object based on the data from the database?

```
public class Employee {  
    Integer    id;  
    String     name;  
    Employee  supervisor;  
  
    public Employee( Integer id )  
    {  
        // access database to get name and supervisor  
        ... ..  
    }  
}
```

## Problems with CLI and Embedded SQL ...

- ◆ SQL statements are hard-coded in applications

```
public Employee( Integer id ) {  
    ...  
    PreparedStatement p;  
    p = connection.prepareStatement(  
        "select * from employees where id = ?"  
    );  
    ...  
}
```

## ... Problems with CLI and Embedded SQL ...

- ◆ Tedious translation between application objects and database tables


```
public Employee( Integer id ) {  
    ...  
    ResultSet rs = p.executeQuery();  
    if( rs.next() )  
    {  
        name = rs.getString("name");  
        ...  
    }  
}
```

## ... Problems with CLI and Embedded SQL

- ◆ Application design has to work around the limitations of relational DBMS

```
public Employee( Integer id ) {  
    ...  
    ResultSet rs = p.executeQuery();  
    if( rs.next() )  
    {  
        ...  
        supervisor = ??  
    }  
}
```

## The ORM Approach



## Hibernate and JPA

- ◆ Java Persistence API (JPA)
  - Annotations for object-relational mapping
  - Data access API
  - An object-oriented query language JPQL
- ◆ Hibernate
  - The most popular Java ORM library
  - An implementation of JPA

## Hibernate Usage

- ◆ Hibernate without JPA
  - API: `SessionFactory`, `Session`, `Query`, `Transaction`
  - More features
- ◆ Hibernate with JPA
  - API: `EntityManagerFactory`, `EntityManager`, `Query`, `Transaction`
  - Better portability
  - Behaviors are better defined and documented

## A Hibernate Example

- ◆ Java classes
  - `Employee.java`
- ◆ JPA configuration file
  - `persistence.xml`
- ◆ Code to access the persistent objects
  - `EmployeeTest.java`
- ◆ (Optional) Logging configuration files
  - `log4j.properties`

## Java Classes

- ◆ Plain Java classes (POJOs); however, it is *recommended* that
  - Each persistent class has an identity field
  - Each persistent class implements the `Serializable` interface
  - Each persistent field has a pair of getter and setter, *which don't have to be public*

## O/R Mapping Annotations

- ◆ Describe how Java classes are mapped to relational tables

@Entity	Persistent Java Class
@Id	Id field
@Basic (can be omitted)	Fields of simple types
@ManyToOne @OneToMany @ManyToMany @OneToOne	Fields of class types

## persistence.xml

- ◆ <persistence-unit>
  - `name`
- ◆ <properties>
  - Database information
  - Provider-specific properties
- ◆ No need to specify persistent classes

## Access Persistent Objects

- ◆ EntityManagerFactory
- ◆ **EntityManager**
- ◆ Query and TypedQuery
- ◆ Transaction
  - A transaction is required for updates

## Some EntityManager Methods

- ◆ find( entityClass, primaryKey )
- ◆ createQuery( query )
- ◆ createQuery( query, resultClass )
- ◆ persist( entity )
- ◆ merge( entity )
- ◆ getTransaction()

<http://sun.calstatela.edu/~cysun/documentation/jpa-2.0-api/javax/persistence/EntityManager.html>

## Persist() vs. Merge()

Scenario	Persist	Merge
Object passed was never persisted	1. Object added to persistence context as new entity. 2. New entity inserted into database at flush/commit	1. State copied to new entity. 2. New entity added to persistence context. 3. New entity inserted into database at flush/commit 4. New entity returned
Object was previously persisted, but not loaded in this persistence context	1. EntityExistsException thrown (or a PersistenceException at flush/commit)	1. Existing entity loaded. 2. State copied from object to loaded entity 3. Loaded entity updated in database at flush/commit 4. Loaded entity returned
Object was previously persisted and already loaded in this persistence context	1. EntityExistsException thrown (or a PersistenceException at flush or commit time)	1. State from object copied to loaded entity 2. Loaded entity updated in database at flush/commit 3. Loaded entity returned

<http://blog.xebia.com/2009/03/jpa-implementation-patterns-saving-detached-entities/>

## A Common Scenario That Needs Merge()

1. Load an object from database
  - Open EntityManager
  - Load object
  - Close EntityManager
2. Save the object in HTTP session
3. Change some fields of the object
4. Save the object back to database
  - Open EntityManager
  - Save object
  - Close EntityManager

GET

POST

## The Returned Value of Merge()

```
Employee e = new Employee();
e.setName( "Joe" );
entityManager.persist( e );

e.getId() → ??
```

```
Employee e = new Employee();
e.setName( "Joe" );
entityManager.merge( e );

e.getId() → ??
```

## Java Persistence Query Language (JPQL)

- ◆ A query language that looks like SQL, but for accessing *objects*
- ◆ Automatically translated to DB-specific SQL statements
- ◆ `select e from Employee e where e.id = :id`
  - From all the Employee objects, find the one whose id matches the given value

See Chapter 4 of Java Persistence API, Version 2.0

## Hibernate Query Language (HQL)

- ◆ A superset of JPQL
- ◆ <http://docs.jboss.org/hibernate/core/4.2/manual/en-US/html/ch16.html>

## Join in HQL ...

```
class User {
    Integer id;
    String username;
    ...
}

class Section {
    Integer id;
    User instructor;
    ...
}
```

users

id	username
1	cysun
2	vcrespi

sections

id	instructor_id
1	1
2	1
3	2

## ... Join in HQL ...

- ◆ Query: find all the sections taught by the user "cysun".
  - SQL??
  - HQL??

## ... Join in HQL ...

```
class User {
    Integer id;
    String username;
    ...
}

class Section {
    Integer id;
    Set<User> instructors;
    ...
}
```

- ◆ Database tables??

## ... Join in HQL

- ◆ Query: find all the sections for which "cysun" is one of the instructors
  - SQL??
  - HQL??

## Advantages of ORM

- ◆ Make RDBMS look like ODBMS
- ◆ Data are accessed as objects, not rows and columns
- ◆ Simplify many common operations. E.g. `System.out.println(e.supervisor.name)`
- ◆ Improve portability
  - Use an object-oriented query language (OQL)
  - Separate DB specific SQL statements from application code
- ◆ Object caching

## SchemaExport

- ◆ Part of the Hibernate Core library
- ◆ Generate DDL from Java classes and annotations
- ◆ In *Hibernate Examples*, run `Hbm2ddl`  
`<output_file>`

## Basic Object-Relational Mapping

- ◆ Class-level annotations
  - `@Entity` and `@Table`
- ◆ Id field
  - `@Id` and `@GeneratedValue`
- ◆ Fields of simple types
  - `@Basic` (can be omitted) and `@Column`
- ◆ Fields of class types
  - `@ManyToOne` and `@OneToOne`

## Advanced ORM

- ◆ Embedded class
- ◆ Collections
- ◆ Inheritance

## Embedded Class

```
public class Address {
    String street;
    String city;
    String state;
    String zip;
}

public class User {
    Integer id;
    String username;
    String password;
    Address address;
}
```



users

id	...	street	city	state	zip	...
----	-----	--------	------	-------	-----	-----

## Mapping Embedded Class

```
@Embeddable
public class Address {
    String street;
    String city;
    String state;
    String zip;
}

@Entity
public class User {
    @Id
    Integer id;
    String username;
    String password;
    @Embedded
    Address address;
}
```

## Collection of Simple Types


```
public class Customer {
    Integer id;

    String name;
    String address;

    Set<String> phones;
}
```

## Mapping Element Collection

```
@ElementCollection
Set<String> phones;
```



## Customize Collection Table

```
@ElementCollection
@CollectionTable(
    name = "customer_phones",
    joinColumns=@JoinColumn(name = "customer_id")
)
@Column(name="phone")
Set<String> phones;
```

## List of Simple Types

- ◆ Order by property
  - @OrderBy("<property\_name> ASC|DESC")
  - Simple types do not have properties

```
@ElementCollection
@OrderBy("asc")
List<String> phones;
```

- ◆ Order by a separate column

```
@ElementCollection
@OrderColumn(name = "phone_order")
List<String> phones;
```

## Issues Related to Collections of Object Types


- ◆ Relationships (a.k.a. associations)
  - one-to-many
  - many-to-many
- ◆ Unidirectional vs. Bidirectional
- ◆ Set and List
- ◆ Cascading behaviors

## Types of Relationships

- ◆ Many-to-Many
- ◆ Many-to-One / One-to-Many
- ◆ One-to-One


## Many-to-Many Relationship

- ◆ Each entity in  $E_1$  can be related to many entities in  $E_2$
- ◆ Each entity in  $E_2$  can be related to many entities in  $E_1$




## Many-to-One Relationship

- ◆ Each entity in  $E_1$  can be related to one entities in  $E_2$
- ◆ Each entity in  $E_2$  can be related to many entities in  $E_1$



## One-to-One Relationship

- ◆ Each entity in  $E_1$  can be related to one entities in  $E_2$
- ◆ Each entity in  $E_2$  can be related to one entities in  $E_1$



## Relationship Type Examples

- ◆ Books and authors??
- ◆ Books and editors??

## One-To-Many Example

- ◆ A customer may own multiple accounts
- ◆ An account only has one owner

## Bidirectional Association – OO Design #1

```

public class Account {
    Integer id;
    Double balance;
    Date createdOn;
    Customer owner;
}

public class Customer {
    Integer id;
    String name;
    String address;
    Set<String> phones;
    Set<Account> accounts;
}
    
```

## Unidirectional Association – OO Design #2

```

public class Account {
    Integer id;
    Double balance;
    Date createdOn;
}

public class Customer {
    Integer id;
    String name;
    String address;
    Set<String> phones;
    Set<Account> accounts;
}
    
```



## Unidirectional Association – OO Design #3

```

public class Account {
    Integer id;
    Double balance;
    Date createdOn;
    Customer owner;
}

public class Customer {
    Integer id;
    String name;
    String address;
    Set<String> phones;
}

```

## Unidirectional vs. Bidirectional

- ◆ Do the three OO designs result in different database schemas??
- ◆ Does it make any difference on the application side??
- ◆ Which one should we use??

## Mapping Bidirectional One-To-Many

```

public class Account {
    Integer id;
    Double balance;
    Date createdOn;
    @ManyToOne
    Customer owner;
}

public class Customer {
    Integer id;
    String name;
    String address;
    Set<String> phones;
    @OneToMany(mappedBy="owner")
    Set<Account> accounts;
}

```

↑  
property

## Using List

```

public class Customer {
    Integer id;
    String name;
    String address;
    Set<String> phones;
    @OneToMany(mappedBy="owner")
    @OrderBy("createdOn asc")
    List<Account> accounts;
}

```

## Many-To-Many Example

- ◆ A customer may own multiple accounts
- ◆ An account may have multiple owners

## Mapping Many-To-Many

```

public class Account {
    Integer id;
    Double balance;
    Date createdOn;
    @ManyToMany
    Set<Customer> owners;
}

public class Customer {
    Integer id;
    String name;
    String address;
    Set<String> phones;
    @ManyToMany(mappedBy="owners")
    Set<Account> accounts;
}

```

↑

## Customize Join Table

```
@ManyToMany
@JoinTable(
    name = "account_owners",
    joinColumns=@JoinColumn(name = "account_id"),
    inverseJoinColumns=@JoinColumn(name="owner_id")
)
Set<Customer> owners;
```

## Cascading Behavior

- ◆ Whether an operation on the parent object (e.g. Customer) should be applied to the children objects in a collection (e.g. List<Account>)

```
Customer c = new Customer("cysun");
Account a1 = new Account();
Account a2 = new Account();
c.getAccounts().add( a1 );
c.getAccounts().add( a2 );
```

```
entityManager.persist(c); // will a1 and a2 be saved as well?
entityManager.remove(c); // will a1 and a2 be deleted from db??
```

## Cascading Types in JPA

- ◆ <http://sun.calstatela.edu/~cysun/documentation/jpa-2.0-api/javax/persistence/CascadeType.html>

## CascadeType Examples

```
@OneToMany(mappedBy="owner",
    cascade=CascadeType.PERSIST)
List<Account> accounts;
```

```
@OneToMany(mappedBy="owner",
    cascade={CascadeType.PERSIST, CascadeType.MERGE})
List<Account> accounts;
```

```
@OneToMany(mappedBy="owner",
    cascade=CascadeType.ALL)
List<Account> accounts;
```

## Inheritance

```
public class CDAccount extends Account {
    Integer term;
}
```

## Everything in One Table

accounts

id	account_type	balance	created_on	term
----	--------------	---------	------------	------


↑  
Discriminator column

## Inheritance Type – SINGLE\_TABLE

```
@Entity
@Table(name="accounts")
@Inheritance(strategy=InheritanceType.SINGLE_TABLE)
@DiscriminatorColumn(name="account_type")
@DiscriminatorValue("CHECKING")
public class Account { ... }
```

```
@Entity
@DiscriminatorValue("CD")
public class CDAccount { ... }
```

## Table Per Subclass




## Inheritance Type – JOINED

```
@Entity
@Table(name="accounts")
@Inheritance(strategy=InheritanceType.JOINED)
public class Account { ... }
```

```
@Entity
@Table(name="cd_accounts")
public class CDAccount { ... }
```

## Table Per Concrete Class



## Inheritance Type – TABLE\_PER\_CLASS

```
@Entity
@Table(name="accounts")
@Inheritance(strategy=InheritanceType.TABLE_PER_CLASS)
public class Account { ... }
```

```
@Entity
@Table(name="cd_accounts")
public class CDAccount { ... }
```

## Tips for Hibernate Mapping

- ◆ Understand relational design
  - Know what the database schema should look like before doing the mapping
- ◆ Understand OO design
  - Make sure the application design is object-oriented

## Further Readings

- ◆ TopLink JPA Annotation Reference – <http://www.oracle.com/technetwork/middleware/ias/toplink-jpa-annotations-096251.html>
- ◆ *Pro JPA 2* by Mike Keith and Merrick Schincariol