

CS422 Principles of Database Systems
Functional Dependency

Chengyu Sun
California State University, Los Angeles

Adapted from Jeffrey Ullman's lecture notes at
<http://www-db.stanford.edu/~ullman/dscb.html>

Functional Dependency (FD)

- ◆ A functional dependency on relation R is the assertion that when two tuples agree on attributes $\{A_1, \dots, A_n\}$, they must also agree on attribute B.
- ◆ $\{A_1, \dots, A_n\} \twoheadrightarrow B$, or $\{A_1, \dots, A_n\}$ functionally determine B

FD Example

name	addr	beersLiked	manf	favBeer
Janeway	Voyager	Bud	A.B.	WickedAle
Janeway	Voyager	WickedAle	Pete's	WickedAle
Spock	Enterprise	Bud	A.B.	Bud

Drinkers

- ◆ Functional dependencies??

FD with Multiple Attributes

$$\begin{array}{l}
 \{A_1, A_2, A_3, \dots, A_n\} \twoheadrightarrow B_1 \\
 \{A_1, A_2, A_3, \dots, A_n\} \twoheadrightarrow B_2 \\
 \dots \\
 \{A_1, A_2, A_3, \dots, A_n\} \twoheadrightarrow B_m \\
 \Downarrow \\
 \{A_1, A_2, A_3, \dots, A_n\} \twoheadrightarrow \{B_1, B_2, B_3, \dots, B_m\}
 \end{array}$$

Trivial Functional Dependency

FD: $\{A_1, A_2, A_3, \dots, A_n\} \twoheadrightarrow \{B_1, B_2, B_3, \dots, B_m\}$

- ◆ FD is trivial if all B's are in **A**
- ◆ FD is nontrivial if at least one B is not in **A**
- ◆ FD is completely nontrivial if no B is in **A**

Key

- ◆ **A** is a key of relation R if
 - **A** functionally determines all attributes of R
 - No proper subset of **A** functionally determines all attributes of R

Key Example

name	addr	beersLiked	manf	favBeer
Janeway	Voyager	Bud	A.B.	WickedAle
Janeway	Voyager	WickedAle	Pete's	WickedAle
Spock	Enterprise	Bud	A.B.	Bud

Drinkers

◆Key??

A Few Things about Keys

- ◆A relation may have multiple keys
- ◆A key may consist of multiple attributes
- ◆Superset of a key is called a super key
- ◆A key has to be *minimal*, but not necessarily *minimum*
- ◆The definition doesn't say anything about *uniqueness*

Discovering Keys

- ◆Obvious ones
 - SSN, VIN, CIN ...
- ◆Less obvious ones
 - {hour, room} class
 - {playerID, year} team
- ◆Keys from ER
- ◆Infer from functional dependencies

From FD to Keys

R(A, B, C, D, E)
FD: A → B, B → C



{??} {A, B, C, D, E}

Armstrong's Axioms

Reflexivity

If $B \subseteq A$, then $A \twoheadrightarrow B$

Transitivity

If $A \twoheadrightarrow B$ and $B \twoheadrightarrow C$, then $A \twoheadrightarrow C$

Augmentation

If $A \twoheadrightarrow B$, then $AC \twoheadrightarrow BC$ for any C

Proof of Transitivity

Given $A \twoheadrightarrow B$ and $B \twoheadrightarrow C$, prove $A \twoheadrightarrow C$

Proof:

let (a_1, b_1, c_1) and (a_2, b_2, c_2) be two tuples in R.
If $a_1 = a_2$,

??

So $c_1 = c_2$, and by definition of FD, $A \twoheadrightarrow C$

Two More FD Rules

Union

If $A \rightarrow B$ and $A \rightarrow C$, then $A \rightarrow BC$

Decomposition

If $A \rightarrow BC$, then $A \rightarrow B$ and $A \rightarrow C$

Closure of Attributes

◆ Given

• a set of attributes A

• a set of functional dependencies S

◆ Closure of A under S , A^+ , is the set of all possible attributes that are functionally determined by A based on the functional dependencies inferable from S

Simple Closure Example

◆ $R: \{A, B, C\}$

• $S: \{A \rightarrow B, B \rightarrow C\}$

◆ $\{A\}^+ ??$

◆ $\{B\}^+ ??$

◆ $\{C\}^+ ??$

Computing A^+

◆ Initialize $A^+ = A$

◆ Search in S for $B \rightarrow C$ where

• $B \subseteq A^+$

• $C \notin A^+$

◆ Add C to A^+

◆ Repeat until nothing can be added to A^+

Computing A^+ Example

◆ $R(A, B, C, D, E, F)$

◆ $S: AB \rightarrow C, BC \rightarrow AD, D \rightarrow E, CF \rightarrow B$

◆ $\{A, B\}^+ ??$

◆ Is $\{A, B\}$ a key ??

Projection

◆ We often want to break one relation into two or more relations

• E.g. breaks (A, B, C, D) into (A, B, C) and (C, D)

◆ The resulting relations can be considered as *projections* of the original relation

Compute Functional Dependencies for Projections

◆ $R(A, B, C, D)$

◆ $R'(A, C, D)$

◆ $S: A \rightarrow B, B \rightarrow C, C \rightarrow D$

◆ *Closure of Functional Dependencies*

◆ $A \rightarrow C, A \rightarrow D, C \rightarrow D$: *basis*

◆ $A \rightarrow C, C \rightarrow D$: *minimal basis*