

CS122 Using Relational Databases and SQL

Views, Indexes, and Transactions

Chengyu Sun
California State University, Los Angeles

Views

```
create view view_name as query;
```

- ◆ A virtual table consists of the results of a query
- ◆ Example: create a view
members_salespeople_view
(member_name, salesperson_name)

About Views

- ◆ A view can be used as a table in SQL statements
 - Except that some views cannot be updated
- ◆ The data in a view is dynamically computed
 - Changes to *base tables* are automatically reflected in the view

Why Views

- ◆ Present the data in a different way
- ◆ Simplify SQL queries
- ◆ Security reasons
 - E.g. expose only part of the data to certain type of users

Indexes

- ◆ Make query execution more efficient


Query Example

```
select salary from employees where name = 'Sally';
```

employees

name	salary
Joe	2000
Bob	5000
Lisa	4000
Amy	4500
John	4500
Sally	5000
Val	3000
Meg	6000

Search with an Index



Create Index

```
create index index_name
on table_name (col_name,...);
```

◆ Example: create an index on the name column of the employees table

```
create index emp_name_idx on employees (name);
```

The Need for Transaction

◆ Example: transfer \$100 from account A to account B

accounts

account	balance
A	134.60
B	122.21
C	3300.00
D	256.79

SQL Statements Involved in A Transfer

```
-- Check whether account A has enough money
select balance from accounts where account = 'A';
```

```
-- Take $100 from account A
```

```
update account set balance = balance - 100
where account = 'A';
```

```
-- Add $100 to account B
```

```
update account set balance = balance + 100
where account = 'B';
```

Things Could Go Wrong

```
-- Check whether account A has enough money
select balance from accounts where account = 'A';
```

```
-- Take $100 from account A
```

```
update account set balance = balance - 100
where account = 'A';
```



System Crash!

Transaction

◆ A group of statements that are treated as a whole, i.e. either all operations in the group are performed or none of them are – the Atomicity property.

Transaction Syntax in MySQL

```
begin; -- start of a transaction
select balance from accounts where account = 'A';
update account set balance = balance - 100
  where account = 'A';
update account set balance = balance + 100
  where account = 'B';

commit; -- end of a transaction
(or rollback;)
```

ACID Properties of Database Transactions

- ◆ Atomic
- ◆ Consistent
- ◆ Isolated
- ◆ Durable